



www.passanmetal.com
info@passanmetal.com

2019-2020
Ürün Kataloğu
Product Catalog



01

PASLANMAZ GÜĞÜMLER
STAINLESS STEEL CANS

ALÜMİNYUM GÜĞÜMLER
ALUMINIUM CANS

14

19

PLASTİK GÜĞÜMLER
PLASTIC CANS

KAPAKLAR
LIDS

20

23

SAĞIM SİSTEM EKİPMANLARI
MILKING SYSTEM EQUIPMENTS




TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:715mm
Çap/Bottom Diameter	:335mm
Ağız Çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:7,250gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G005

50 LT PASLANMAZ GÜĞÜM / 50 LTS STAINLESS STEEL CAN




TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:585mm
Çap/Bottom Diameter	:335mm
Ağız Çapı/Entry Diameter	:217mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,940gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G009

40 LT PASLANMAZ GÜĞÜM (SAĞIM MAKİNESİNE UYGUN)
40 LTS STAINLESS STEEL CAN (SUITABLE FOR MILKING MACHINES)




TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:485mm
Çap/Bottom Diameter	:335mm
Ağız Çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,080gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G010

30 LT PASLANMAZ GÜĞÜM (SAĞIM MAKİNESİNE UYGUN)
30 LTS STAINLESS STEEL CAN (SUITABLE FOR MILKING MACHINES)




TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:430mm
Çap/Bottom Diameter	:335mm
Ağız Çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:4,430gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G011

25 LT PASLANMAZ GÜĞÜM (SAĞIM MAKİNESİNE UYGUN)
25 LTS STAINLESS STEEL CAN (SUITABLE FOR MILKING MACHINES)




TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:375mm
Çap/Bottom Diameter	:335mm
Ağız Çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:4,120gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G012

20 LT PASLANMAZ GÜĞÜM (SAĞIM MAKİNESİNE UYGUN)
20 LTS STAINLESS STEEL CAN (SUITABLE FOR MILKING MACHINES)




TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:720mm
Çap/Bottom Diameter	:335mm
Ağız Çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:7,810g
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G001

50 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ
50 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID




TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:610mm
Çap/Bottom Diameter	:335mm
Ağız Çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:6,830gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G002

40 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ
40 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:610mm
Çap/Bottom Diameter	:335mm
Ağız Çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:6,830gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G002A

40 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ
40 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:490mm
Çap/Bottom Diameter	:335mm
Ağız Çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,900gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G004

30 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ
30 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:490mm
Çap/Bottom Diameter	:335mm
Ağız Çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,900gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G004A

30 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ
30 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:440mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,580gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G006

25 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ
25 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID




TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:440 mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,580gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G006A

25 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ
25 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:380 mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,100gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G007

20 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ
20 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID




TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:380 mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,100gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G007A

20 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ
20 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:300 mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:3,850gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G008

10 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ
10 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:720 mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:7,980gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

GM001

50 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ-MUSLUKLU
50 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID&TAP



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:610 mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:6,980gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

GM002

40 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ-MUSLUKLU
40 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID&TAPP



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:610 mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:6,980gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

GM002A

40 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ-MUSLUKLU
40 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID&TAP

DİĞER SEÇENEKLER/OTHER OPTIONS

TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:490 mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:208mm
Kalınlık/Sheet Tickness	:1mm
Ağırlık/Weight	:6,050gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

GM004

30 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ-MUSLUKLU
30 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID&TAP

TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:490mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Tickness	:1mm
Ağırlık/Weight	:6,050gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

GM004A

30 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ-MUSLUKLU
30 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID&TAP

TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:440mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,730gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

GM006

25 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ-MUSLUKLU
25 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID&TAP

TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:440mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,730gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

GM006A

25 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ-MUSLUKLU
25 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID&TAP

TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:380mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,250gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

GM007

20 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ-MUSLUKLU
20 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID&TAP

TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:380mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,250gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G007A

20 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ-MUSLUKLU
20 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID&TAP

TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:300mm
Çap/Bottom diameter	:335mm
Ağız çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:4,050gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

GM008

10 LT ÇELİK KAPAKLI TAŞIMA GÜĞÜMÜ-MUSLUKLU
10 LTS STAINLESS STEEL CARRIAGE BUCKET WITH SS LOCKED LID&TAP



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:520mm
Çap/Bottom diameter	:285mm
Ağız çapı/Entry Diameter	:275mm
Kalınlık/Sheet Thickness	:1mm
Ağırlık/Weight	:5,900gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G020

20 LT PASLANMAZ SÜT ÖLÇEĞİ
20 LTS STAINLESS STEEL MILK MEASURING CAN



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:650mm
Çap/Bottom diameter	:340mm
Ağız çapı/Entry Diameter	:220mm
Kalınlık/Sheet Thickness	:3,5mm
Ağırlık/Weight	:6,500gr
Malzeme/Raw Material	:Alüminyum Aluminium

AG005

50 LT ALÜMİNYUM GÜĞÜM
50 LTS ALUMINIUM CAN



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:550mm
Çap/Bottom diameter	:340mm
Ağız çapı/Entry Diameter	:217mm
Kalınlık/Sheet Thickness	:3,5mm
Ağırlık/Weight	:4,500gr
Malzeme/Raw Material	:Alüminyum Aluminium

AG009

40 LT ALÜMİNYUM GÜĞÜM (SAĞIM MAKİNESİNE UYGUN)
40 LTS ALUMINIUM CAN (SUITABLE FOR MILKING MACHINES)



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:490mm
Çap/Bottom diameter	:300mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:3,5mm
Ağırlık/Weight	:3,100gr
Malzeme/Raw Material	:Alüminyum Aluminium

AG010

30 LT ALÜMİNYUM GÜĞÜM (SAĞIM MAKİNESİNE UYGUN)
30 LTS ALUMINIUM CAN (SUITABLE FOR MILKING MACHINES)



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:420mm
Çap/Bottom diameter	:300mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:3,5mm
Ağırlık/Weight	:2,000gr
Malzeme/Raw Material	:Alüminyum Aluminium

AG012

20 LT ALÜMİNYUM GÜĞÜM (SAĞIM MAKİNESİNE UYGUN)
20 LTS ALUMINIUM CAN (SUITABLE FOR MILKING MACHINES)



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:660mm
Çap/Bottom diameter	:340mm
Ağız çapı/Entry Diameter	:220mm
Kalınlık/Sheet Thickness	:3,5mm
Ağırlık/Weight	:7,500gr
Malzeme/Raw Material	:Alüminyum Aluminium

AG001

50 LT ALÜMİNYUM KİLİTLİ KAPAKLI TAŞIMA GÜĞÜMÜ
50 LTS ALUMINIUM CARRIAGE BUCKET WITH ALM. LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:550mm
Çap/Bottom diameter	:340mm
Ağız çapı/Entry Diameter	:208mm
Kalınlık/Sheet Thickness	:3,5mm
Ağırlık/Weight	:5,500gr
Malzeme/Raw Material	:Alüminyum Aluminium

AG002

40 LT ALÜMİNYUM KİLİTLİ KAPAKLI TAŞIMA GÜĞÜMÜ
40 LTS ALUMINIUM CARRIAGE BUCKET WITH ALM. LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:510mm
Çap/Bottom diameter	:300mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:3,5mm
Ağırlık/Weight	:4,100gr
Malzeme/Raw Material	:Alüminyum Aluminium

AG004

30 LT ALÜMİNYUM KİLİTLİ KAPAKLI TAŞIMA GÜĞÜMÜ
30 LTS ALUMINIUM CARRIAGE BUCKET WITH ALM. LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:450mm
Çap/Bottom diameter	:300mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:3,5mm
Ağırlık/Weight	:3,200gr
Malzeme/Raw Material	:Alüminyum Aluminium

AG006

25 LT ALÜMİNYUM KİLİTLİ KAPAKLI TAŞIMA GÜĞÜMÜ
25 LTS ALUMINIUM CARRIAGE BUCKET WITH ALM. LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:425mm
Çap/Bottom diameter	:300mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:3,5mm
Ağırlık/Weight	:2,900gr
Malzeme/Raw Material	:Alüminyum Aluminium

AG007

20 LT ALÜMİNYUM KİLİTLİ KAPAKLI TAŞIMA GÜĞÜMÜ
20 LTS ALUMINIUM CARRIAGE BUCKET WITH ALM. LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:290mm
Çap/Bottom diameter	:250mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:3,5mm
Ağırlık/Weight	:1,200gr
Malzeme/Raw Material	:Alüminyum Aluminium

AG008

10 LT ALÜMİNYUM KİLİTLİ KAPAKLI TAŞIMA GÜĞÜMÜ
10 LTS ALUMINIUM CARRIAGE BUCKET WITH ALM. LOCKED LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:510mm
Çap/Bottom diameter	:332mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:5mm
Ağırlık/Weight	:3,785gr
Malzeme/Raw Material	:Plastic

PLS01

30 LT PLASTİK GÜĞÜM (SAĞIM MAKİNESİNE UYGUN)
30 LTS PLASTIC CAN (SUITABLE FOR MILKING MACHINES)



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:400mm
Çap/Bottom diameter	:332mm
Ağız çapı/Entry Diameter	:175mm
Kalınlık/Sheet Thickness	:5mm
Ağırlık/Weight	:3,235gr
Malzeme/Raw Material	:Plastic

PLS02

20 LT PLASTİK GÜĞÜM (SAĞIM MAKİNESİNE UYGUN)
20 LTS PLASTIC CAN (SUITABLE FOR MILKING MACHINES)



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:840gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

SG017

SABİT SİSTEM KAPAĞI/FIXED SYSTEM MILKING LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:780gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

G018

PASLANMAZ GÜĞÜM KAPAĞI/STAINLESS STEEL BUCKET LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:810gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

TK001

PASLANMAZ TRANSFER KAPAĞI/STAINLESS STEEL TRANSFER LID



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:805gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

TK002

PASLANMAZ TAŞIMA KAPAĞI/STAINLESS STEEL CARRIAGE LID 40LTS



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:600gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

TK003

PASLANMAZ TAŞIMA KAPAĞI/STAINLESS STEEL CARRIAGE LID 30LTS



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:560mm
Çap/Bottom diameter	:600mm
Kalınlık/Sheet Thickness	:1,5mm
Ağırlık/Weight	:15kg
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

S001

SAĞIM SİSTEMİ ÖN TOPLAMA TANKI 100 LT (REZERVE TANKI)
MILKING SYSTEM FRONT COLLECTOR MILK TANK 100 LTS



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:460mm
Çap/Bottom diameter	:600mm
Kalınlık/Sheet Thickness	:1,5mm
Ağırlık/Weight	:14kg
Malzeme/Raw Material	:304 kalite paslanmaz çelik/304 quality stainless steel

S002

SAĞIM SİSTEMİ ÖN TOPLAMA TANKI 80 LT (REZERVE TANKI)
MILKING SYSTEM FRONT COLLECTOR MILK TANK 80 LTS



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:600mm
Çap/Bottom diameter	:440mm
Kalınlık/Sheet Thickness	:1,5mm
Ağırlık/Weight	:11kg
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

S003

SAĞIM SİSTEMİ ÖN TOPLAMA TANKI 60 LT (REZERVE TANKI)
MILKING SYSTEM FRONT COLLECTOR MILK TANK 60 LTS



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:520mm
Çap/Bottom diameter	:440mm
Kalınlık/Sheet Thickness	:1,5mm
Ağırlık/Weight	:9,400gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

S004

SAĞIM SİSTEMİ ÖN TOPLAMA TANKI 50 LT (REZERVE TANKI)
MILKING SYSTEM FRONT COLLECTOR MILK TANK 50 LTS



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:440 mm
Çap/Bottom diameter	:440mm
Kalınlık/Sheet Thickness	:1,5mm
Ağırlık/Weight	:8,100gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

S008

SAĞIM SİSTEMİ ÖN TOPLAMA TANKI 30 LT (REZERVE TANKI)
MILKING SYSTEM FRONT COLLECTOR MILK TANK 30 LTS



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:720mm
Akrilik Boru Çapı/Glass Diameter	:200mm
Kalınlık/Sheet Thickness	:1,5mm
Ağırlık/Weight	:3,700gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

S007

10 LT SÜT STOP HAZNESİ (CAM FANUS)
FRONT COLLECTOR GLASS VASE-10 LTS



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:620mm
Akrilik Boru Çapı/Glass Diameter	:200mm
Kalınlık/Sheet Thickness	:1,5mm
Ağırlık/Weight	:2,815gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

S006

**8 LT SÜT STOP HAZNESİ (CAM FANUS)
FRONT COLLECTOR GLASS VASE-8 LTS**



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Yükseklik/Height	:400mm
Akrilik Boru Çapı/Glass Diameter	:200mm
Kalınlık/Sheet Thickness	:1,5mm
Ağırlık/Weight	:2,700gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

S005

**5 LT SÜT STOP HAZNESİ (CAM FANUS)
FRONT COLLECTOR GLASS VASE-5 LTS**



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Uzunluk/Lenght	:800*40mm
Ağırlık/Weight	:2,775gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

F001

PASLANMAZ SÜT FİLTRESİ/STAINLESS STEEL MILK FILTER



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Uzunluk/Lenght	:800*40mm
Ağırlık/Weight	:2,950gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

F002

PASLANMAZ SÜT FİLTRESİ-DİRSEKLİ
STAINLESS STEEL MILK FILTER-WITH BRACKET



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:235gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

E001

45x26,7x1,5 PASLANMAZ SÜT LASTİK KILIFI/STAINLESS STEEL MILKING LINER CUP



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:2,175gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

SG018

5 LT PASLANMAZ SULUK/STAINLESS STEEL DRINKER 5LTS FOR LIVESTOCK



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:65 gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik / 304 quality stainless steel

SG001

SÜT GİRİŞ DÜZ/SS MILK ENTRY FLAT



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:135gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

SG002

SÜT GİRİŞ 90/SS MILK ENTRY 90



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:190gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

SG003

SÜT GİRİŞ 180/SSMILK ENTRY 180



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:1.815gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik 304 quality stainless steel

PS001

PASLANMAZ SÜZEK/STAINLESS STEEL STRAINER



TEKNİK ÖZELLİKLERİ/TECHNICAL FEATURES

Ağırlık/Weight	:530gr
Malzeme/Raw Material	:304 kalite paslanmaz çelik / 304 quality stainless steel

AD001

ASKI DEMİRİ/HANGING STAND



Sanayi Sitesi
Yunus Emre mah.
53 sk. No: 26/29
16500
Mustafakemalpaşa / BURSA
TÜRKİYE



+09 0224 618 02 27



info@passanmetal.com

